

PARSHWANATH ENTERPRISE

Kind Attn: Procurement dept:

Dear Sir,

Greetings from PARSHWANATH ENTERPRISE

It gives me immense pleasure to introduce <u>PARSHWANATH ENTERPRISE</u> Located in India we strongly believe that we can serve your organization with our product offerings.

<u>PARSHWANATH ENTERPRISE</u> is one of the leading specialists in steel products. We are a PARSHWANATH GROUP and have acquired a reputation for being a major organization known for its commitment for quality, on-time delivery and customer satisfaction.

We identify ourselves as one of the leading manufacturers, distributors, exporters and indenters of ferrous and non- ferrous metals. What makes us unique is our wide product list which includes **Stainless Steel**, Alloy Steel, Aluminum, Inconel, Monel, Hastelloy Duplex, Super Duplex etc. some of the items are as follows:

<u>Fittings (Carbon Steel / Stainless Steel) - All Grade and Class . Flanges</u> (Carbon Steel / Stainless Steel) - All Grade and Class















<u>Pipes (SS, CS, GI, Alloy steel, Haste Alloy, Nickel, Copper Alloy,</u> Titanium etc)



Fastener (SS, HT, DUPLEX STEEL)



<u>PARSHWANATH ENTERPRISE</u> has been annually sourcing over million tons of steel for Consumers which define our strength in handling projects in gulf countries Be it Long, flat, heat treated or engineering steel, we have access to all types of steel from all part of the globe.

Company is managed by a team of Skilled & Qualified Experts, who has prudently followed the policy of strict quality Assurance and ISO Rules and regulations.

PARSHWANATH ENTERPRISE IS AN ISO 9001: 2008, In house Testing Facilities, Quality Assurance, Certification by third party, HSE POLICY. Certifications in accordance to & EN 10204 3. 1. EN 10204

TECHNIC OF MATERIAL TEST (DESTRUCTIVE / NON DESTRUCTIVE) :

Experts keep vigilance religiously on Quality by way of carrying descriptive posses in house Heat Treatment facilities (oil Fired / Electric & Induction Furnaces) Testing 100% of product and random of raw material testing: Chemical / Physical / Hardness / Impact. Technocrats with NDT Level – ii members are equipped with R. T. Camera, UT, MPT, DPT moreover PMI machine for constant watch on chemical composition.

PARSHWANATH ENTERPRISE has executed significant volume of **STAINLESS STEEL, ALLOY STEEL, DUPLEX STEEL, CARBON STEEL.**

SMLS Fittings items size , Thickness / Schedule

A) ELBOW : ½" TO 24 SCH (10-160)	B) EQUAL / UNEQUAL TEE : ½" TO 24" SCH (10 – 160)
C) CONC. REDUCERS: ½" TO 24" SCH (10 – 160)	D) ECCE. REDUCERS: ½" TO 24" SCH (10 – 160)
E) CAPS: ½" TO 24" SCH (10-160)	F) STUBENDS: ½" TO 24" SCH (10 – 160)
G) EQL. / UNEQL. SPLIT TEE: ½" TO 24" SCH (10	H) SPECIAL BENDS (LONG RADIUS) – R = 3D, 5D,
-160)	6D, 10D ½" TO 24" SCH (10 – 160)

FITTINGS EFW & ERW

A) ELBOW 2" TO 56" SCH (10 – 160)	B) EQUAL / UNEQUAL TEE 2" TO 48" SCH (10-
	160)
C) ECCN / CONC. REDUCERS 2" TO 72" SCH (10-	D) SPECIAL BENDS (LONG RADIUS) – R=3D, 5D,
160)	6D, 10D, 18" TO 36" SCH (10-160)
E) EQUAL / UNEQUAL SPLIT TEE 12" TO 36"	F) FLOW TEE / BARRED TEE UP TO 48" SCH (10 –
SCH (10-160)	160)

FLANGES ITEM SIZE Flanges Of ALL Ratings & Schedule : CLASS : 150#, 300#, 400#, 600#, 900#, 1500#, 2500#

A. WNRF: ½" TO 56"B. SORF: ½" TO 56"C. SWRF: ½" TO 2"

D. LAP JOINT: ½" TO 24" E. BLRF: ½" TO 56"

PIPES

1. CARBON STEEL LINE PIPES – SEAMLESS / WELDED

- (A) 1/2" to 24" SEAMLESS
- (B) 1" TO 24" ERW
- (C) 24" to 12" SAW (Longitudinal / Spiral) GRADES API5L, GRB, X 42, X 52, X 56, X 60, X70, X 80, , (PSL ½)

2. CARBON STEEL PROCESS – SEAMLESS / WELDED

- (A) ½" to 24" SEAMLESS
- (B) 1" TO 24" ERW
- (C) 24" TO 120" EFW GRADES A106, GRB/C, A53 GR B, A672 GR. C60 / C65/ C70

3. CARBON STEEL LOW TEMPRATURE

- (A) 1/4" TO 24" SEAMLESS
- (B) 24" TO 120" EFW GRADES A333 GR6, A671 GR. CC60/CC65/CC70

4. CARBON STEEL – FERRITIC ALLOYS

- (A) 1/2" TO 24" SEAMLESS
- (B) 24" TO 66" EFW (GRADES ASTM A335 GR. P1/P5/P9/P11/P22 ASTM A691 1CR/ 3CR/ 5CR/ 9CR

5. AUSTENTIC STAINLESS STEEL

- (A) 1/2" TO 16" SEAMLESS
- (B) 1" TO 66" EFW GRADES ASTM A312 / ASTM A358 GR 304/304L, 316/316L, 321, 347

6. DUPLEX/ SUPER DUPLEX

- (A) 1/2" TO 8" SEAMLESS
- (B) 8" TO 24" WELDED GRADES ASTM A790, ASTM A928

OFFICE ADDRESS:

PARSHWANATH ENTERPRISE

21, BHAGIRATH IND. ESTATE – 4, OPP, JAWAHAR NAGAR, NR, SIMPLEX RUBBER COMPOUND, AMRAIWADI – AHMEDABAD 380 026 **PH.NO** – 079-22774070, 22773920 **MOBILE NO.** 98253 93843, 98253 98367